ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

# Attestation of Conformity

## No. E8A 004649 0009 Rev. 01

**Holder of Attestation:** **KGP Electronics GmbH**
Hueckstraße 19
58511 Lüdenscheid
GERMANY

**Name of Object:** **Power supply (LED Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

**Test report no.:** 64740230425102

**Date,** 2026-08-13

( Peter Jia )



This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

# Attestation of Conformity

**No. E8A 004649 0009 Rev. 01**

**Model(s):**

**158950, XSV30W24-NX, 159010, XSV30W24-DALI-NX,
158960, XSV60W24-NX, 159020, XSV60W24-DALI-NX,
158970, XSV100W24-NX, 159030, XSV100W24-DALI-NX,
158980, XSV160W24-NX, 159040, XSV160W24-DALI-NX,
158990, XSV240W24-NX, 159050, XSV240W24-DALI-NX,
159000, XSV400W24-NX, 159060, XSV400W24-DALI-NX,
159070, XSV60W48-NX, 159120, XSV60W48-DALI-NX,
159080, XSV100W48-NX, 159130, XSV100W48-DALI-NX,
159090, XSV160W48-NX, 159140, XSV160W48-DALI-NX,
159100, XSV240W48-NX, 159150, XSV240W48-DALI-NX,
159110, XSV400W48-NX, 159160, XSV400W48-DALI-NX,
149171, XSV30W24, 149181, XSV30W24 DALI,
149311, XSV60W24, 149331, XSV60W24 DALI,
148851, XSV100W24, 148861, XSV100W24 DALI,
148941, XSV160W24, 148951, XSV160W24 DALI,
149041, XSV240W24, 149061, XSV240W24 DALI,
149221, XSV400W24, 149231, XSV400W24 DALI,
149371, XSV60W48, 149381, XSV60W48 DALI,
148911, XSV100W48, 148921, XSV100W48 DALI,
149011, XSV160W48, 149021, XSV160W48 DALI,
149121, XSV240W48, 149141, XSV240W48 DALI,
149271, XSV400W48, 149281, XSV400W48 DALI**

**Trade name:**

**NEXIVO**

NEXIVO
by KGP Electronics GmbH

**Description of Object:**

| | |
|---|---|
| Rated voltage: | 220-240V~ |
| Rated frequency: | 50/60Hz |
| Rated output: | see model list. |
| Protection class: | I |

**Tested according to:**

EN IEC 55015:2019/A11:2020
EN IEC 61547:2023
EN IEC 61000-3-2:2019/A2:2024
EN 61000-3-3:2013/A2:2021



This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

# Attestation of Conformity

## No. E8A 004649 0009 Rev. 01

Model list 1

| Item Code | Model | Rated input current (A) | PF | Rated output voltage (VDC) | Rated output current (A) | Max. rated output power (W) |
|---|---|---|---|---|---|---|
| 158950 | XSV30W24-NX | 0.2A | 0.95 | 24 | 0-1.25 | Max.30W |
| 159010 | XSV30W24-DALI-NX | 0.2A | 0.95 | 24 | 0-1.25 | Max.30W |
| 158960 | XSV60W24-NX | 0.4A | 0.95 | 24 | 0-2.5 | Max.60W |
| 159020 | XSV60W24-DALI-NX | 0.4A | 0.95 | 24 | 0-2.5 | Max.60W |
| 158970 | XSV100W24-NX | 0.6A | 0.95 | 24 | 0-4.17 | Max.100W |
| 159030 | XSV100W24-DALI-NX | 0.6A | 0.95 | 24 | 0-4.17 | Max.100W |
| 158980 | XSV160W24-NX | 0.9A | 0.95 | 24 | 0-6.67 | Max.160W |
| 159040 | XSV160W24-DALI-NX | 0.9A | 0.95 | 24 | 0-6.67 | Max.160W |
| 158990 | XSV240W24-NX | 1.5A | 0.95 | 24 | 0-10 | Max.240W |
| 159050 | XSV240W24-DALI-NX | 1.5A | 0.95 | 24 | 0-10 | Max.240W |
| 159000 | XSV400W24-NX | 2.3A | 0.95 | 24 | 0-16.67 | Max.400W |
| 159060 | XSV400W24-DALI-NX | 2.3A | 0.95 | 24 | 0-16.67 | Max.400W |
| 159070 | XSV60W48-NX | 0.4A | 0.95 | 48 | 0-1.25 | Max.60W |
| 159120 | XSV60W48-DALI-NX | 0.4A | 0.95 | 48 | 0-1.25 | Max.60W |
| 159080 | XSV100W48-NX | 0.6A | 0.95 | 48 | 0-2.1 | Max.100W |
| 159130 | XSV100W48-DALI-NX | 0.6A | 0.95 | 48 | 0-2.1 | Max.100W |
| 159090 | XSV160W48-NX | 0.9A | 0.95 | 48 | 0-3.34 | Max.160W |
| 159140 | XSV160W48-DALI-NX | 0.9A | 0.95 | 48 | 0-3.34 | Max.160W |
| 159100 | XSV240W48-NX | 1.5A | 0.95 | 48 | 0-5 | Max.240W |
| 159150 | XSV240W48-DALI-NX | 1.5A | 0.95 | 48 | 0-5 | Max.240W |
| 159110 | XSV400W48-NX | 2.3A | 0.95 | 48 | 0-8.34 | Max.400W |
| 159160 | XSV400W48-DALI-NX | 2.3A | 0.95 | 48 | 0-8.34 | Max.400W |

Model list 2

| Item Code | Model | Rated input current (A) | PF | Rated output voltage (VDC) | Rated output current (A) | Max. rated output power (W) |
|---|---|---|---|---|---|---|
| 149171 | XSV30W24 | 0.2A | 0.95 | 24 | 0-1.25 | Max.30W |
| 149181 | XSV30W24 DALI | 0.2A | 0.95 | 24 | 0-1.25 | Max.30W |
| 149311 | XSV60W24 | 0.4A | 0.95 | 24 | 0-2.5 | Max.60W |
| 149331 | XSV60W24 DALI | 0.4A | 0.95 | 24 | 0-2.5 | Max.60W |
| 148851 | XSV100W24 | 0.6A | 0.95 | 24 | 0-4.17 | Max.100W |
| 148861 | XSV100W24 DALI | 0.6A | 0.95 | 24 | 0-4.17 | Max.100W |
| 148941 | XSV160W24 | 0.9A | 0.95 | 24 | 0-6.67 | Max.160W |
| 148951 | XSV160W24 DALI | 0.9A | 0.95 | 24 | 0-6.67 | Max.160W |
| 149041 | XSV240W24 | 1.5A | 0.95 | 24 | 0-10 | Max.240W |
| 149061 | XSV240W24 DALI | 1.5A | 0.95 | 24 | 0-10 | Max.240W |



This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

# Attestation of Conformity

## No. E8A 004649 0009 Rev. 01

| | | | | | | |
|---|---|---|---|---|---|---|
| 149221 | XSV400W24 | 2.3A | 0.95 | 24 | 0-16.67 | Max.400W |
| 149231 | XSV400W24 DALI | 2.3A | 0.95 | 24 | 0-16.67 | Max.400W |
| 149371 | XSV60W48 | 0.4A | 0.95 | 48 | 0-1.25 | Max.60W |
| 149381 | XSV60W48 DALI | 0.4A | 0.95 | 48 | 0-1.25 | Max.60W |
| 148911 | XSV100W48 | 0.6A | 0.95 | 48 | 0-2.1 | Max.100W |
| 148921 | XSV100W48 DALI | 0.6A | 0.95 | 48 | 0-2.1 | Max.100W |
| 149011 | XSV160W48 | 0.9A | 0.95 | 48 | 0-3.34 | Max.160W |
| 149021 | XSV160W48 DALI | 0.9A | 0.95 | 48 | 0-3.34 | Max.160W |
| 149121 | XSV240W48 | 1.5A | 0.95 | 48 | 0-5 | Max.240W |
| 149141 | XSV240W48 DALI | 1.5A | 0.95 | 48 | 0-5 | Max.240W |
| 149271 | XSV400W48 | 2.3A | 0.95 | 48 | 0-8.34 | Max.400W |
| 149281 | XSV400W48 DALI | 2.3A | 0.95 | 48 | 0-8.34 | Max.400W |



This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.